

KRM Corporation **LOTO & Safety Products**
 An ISO 9001:2008 Certified company **CE Certified**

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

CE Certified-KRM **LOTO - Lockout Tagout** + Labels & Signs + Acoustic Seals + **Safety Products**

KRM Electrical Safety Products

KRM Produce Complete Range of **lockout tagout** System + **Safety Products**
Quality –Service-Commitment & Customer Satisfaction is KRM Motto
 Providing - **ATSS (AUDIT-TRAINING-SURVEY-SERVICES)**



lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881



Supply of insulated electrical
 Rubber mats for working
 voltages up to 33 KV - conforming
 to IS:15652-2008, Working
 Voltage: up to 3.3KV,
 CPRI/ERDA/NTH Approved
 Thickness : 2mm, 2.5 mm, 3 mm
 SIZE : 1X2 MTR.
 Color : red, black, blue, grey,
 green

INSULATING MATS FOR ELECTRICAL PURPOSES

Confirming to IS : 15652-2006
 (Superceding IS:5424-1969)

Applications :- The ISI Marked Insulating Mats for Electrical Purposes has a Wide Application in Various Substations, Power Plant etc. The Mats are used for Floor Covering below Control Plants to Provide The Safety of Workman Due to Possible Leakage of Current.

Composition :- The Mats are made up of blend of Synthetic Polymers.

TECHNICAL SPECIFICATION

Size	1 MTR. *2 MTR.		
Colour	Black / Red (Other colour as agreed between supplier and purchaser)		
Finish	ONE SIDE PLAIN/OTHER SIDE PATTERNED		
Tensile Strength	For Temp.-10 to 55°C-15 N/mm ² (Min.)		
Elongation At Break	For Temp.-10 to 55°C-250% (Min.)		
Insulation Resistance With Water	10,00,000 MΩ (Min.)		
Leakage Current	10 μA (Max.)		
Flame Retardance	The Mat is retarded to fire.		
Low Temperature Resistance	No tear, break or crack is observed in Mats under force of 100 N for 30 hrs. at -40±3°C.		
Aging Test (For temp. -10 to 55°C)		Effect Of Wash, Transformer Oil, H ₂ O (For temp. -10 to 55°C)	
1. Tensile Strength	Not less than 75% without aging.	1. Tensile Strength	Not less than 80% without aging.
2. Elongation At Break	Not less than 75% without aging.	2. Elongation At Break	Not less than 80% without aging.

S.NO.	CLASS OF MATS	THICKNESS	DIELECTRIC STRENGTH	AC RMS VOLTAGE
1.	A.	2.00 mm	30KV	3.3KV
2.	B.	2.50 mm	45KV	11KV
3.	C.	3.00 mm	65KV	33KV

KRM-K-IRM-2 (2mm thick -Working Voltage: 3.3KV)

KRM-K-IRM-2.5 (2.5mm thick -Working Voltage: 1 up to 11KV)

KRM-K-IRM-3 (3mm thick Working Voltage: up to 33KV)




KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

Discharge Rod made of fiber material – length 3 feet , 6 feet --
 -etc.
 For 11KV, **33KV**



KRM-K-EDR

KRM LOTO HASP

lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881



ELECTRICAL INSULATING GLOVES

The range ELECTROVOLT of insulating gloves for electrical works answer to the specification of the European standard EN 60903:2003 and the International standard CEI 60903:2002. Likewise, our production is subjected to a system for ensuring EC quality of production by means of monitoring to implement article 11b of the 89/686/EEC directive relating to Personal Protective Equipment which classifies insulating gloves for live working in category III (mortal risks).

Summary table

Class Lengths Categories Thickness Sizes Color of available in mm available packaging*

00	28 / 36 cm	AZC	0.5	8-9-10-11	Beige
0	36 / 41 cm	AZC	1.0	8-9-10-11	Red
1	36 / 41 cm	AZC	1.5	8-9-10-11	White
2	36 / 41 cm	RC	2.3	8-9-10-11	Yellow
3	36 / 41 cm	RC	2.9	8-9-10-11	Green
4	41 cm	RC	3.6	8-9-10-11	Orange



lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
00 91 9810 291 381, 00 91 8800 544 881

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

KRM-K-EG-33ISI

ELECTRICAL, GENERAL, HAND GLOVE, ELECTRICAL GRADE:33KV, CLASS: TO MEET ISI ----WORKI NG VOLTAGE AS PER STANDARD NORMS

KRM-K-EG-33

ELECTRICAL GLOVES AS PER INTERNATIONAL STANDARD

KRM-K-PDCG

PVC DOTTED ON PALM SIDE COTTON GLOVES FOR NORMAL WORKING

KRM-K-EG-11-ISI

ELECTRICAL, GENERAL, HAND GLOVE, ELECTRICAL GRADE:11KV, CLASS: TOMEET ISI ----WORKI NG VOLTAGE AS PER STANDARD NORMS

KRM-K-EG11

ELECTRICAL GLOVES AS PER INTERNATIONAL STANDARD



KRM-K-EG-33ISI

KRM-K-EG-33

KRM-K-PDCG

KRM-K-EG-11-ISI

KRM-K-EG11



lockout@krmcorporation.com, wadhwrajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company
 CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

Electrical Arc Flash Protective Apparel, complete Kit from 8 Cal to 100Cal/cm² containing:
 ARC Switching Suit (Jacket and Trousers); Arc Switching Hood;
 Dielectric Hard Hat; Arc Visor, Chin Guard & Cap
 Bracket Kit -Arc latex gloves,
 Complete kit in standard bag



- KRM-K-EAFS-8 (EAFS FOR 8 Cal)**
- KRM-K-EAFS-20 (EAFS FOR 20Cal)**
- KRM-K-EAFS-40 (EAFS FOR 40 Cal)**
- KRM-K-EAFS-70 (EAFS FOR 70Cal)**
- KRM-K-EAFS-100 (EAFS FOR 110Cal)**

lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

ARC FLASH Protection HOODS

8 Cal/cm² to 100 Cal/cm²* ATPV ratings
 8 Cal/cm² to 75 Cal/cm²* hoods are made from arc flash resistant materi:
 100 Cal/cm²* hood is made from Tand Q/9® material layers
 Sewn with Nomex® thread
 Arc rated 10" x 20" anti-fogging replaceable lens
 Slotted bracket
 Hook and pile tabs to attach Salisbury's PRO-AIR™ belt mounted compact air system
 One size fits all.
 Hard hat not included.
 Meet current ASTM F2178 and NFPA 70E standards and the flammability requirements for ASTM F1506.
 All PRO-HOODs are CE 0120 certified.
 Orange color available by special order
 NEW Optional Universal Inner Anti-Fog Lens (see page 12 for more information)
 NEW Optional Integrated Air Flow Hood System (see page 17 for more information)
IMPROVEMENTS:
 NEW Design and Cut on FH8BL, FH11BL & FH20BL
 Clearer Lens available on FH8BL, FH11BL, FH20BL, FH31RB, FH40GY, FH40GYLT, and FH55GY



FH8BL IMPROVED 8 Cal/cm², navy blue
 FH11BL IMPROVED 12 Cal/cm², navy blue
 FH20BL IMPROVED 20 Cal/cm², navy blue
 FH31RB IMPROVED 31 Cal/cm², royal blue
 FH40GY IMPROVED 40 Cal/cm², gray
 FH40GYLT IMPROVED 40 Cal/cm², lighter weight, gray
 FH55GY* IMPROVED 55 Cal/cm², gray
 FH75GY* 75 Cal/cm², gray
 FH100TW* 100 Cal/cm², khaki,



lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

ARC FLASH Protection Face Shield

Arc Flash face shield can use instead of HOOD as shown in earlier page



 **K-MCBL-Y-SS** **K-PIN OUT CB**

KRM LOTO HASP

lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified



Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

Supply of Powerful Halogen / LED combo **hands free light** certified product. The body is tough ABS resin that's corrosion proof and resistant to extreme temperatures. The 90° pivoting head allows you to aim light right where you need it. The light weight battery pack houses 4 AA alkaline cells (included). Weight - 15.2 oz.



KRM-K-PHLL-03

lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881



HANDY, unbelievably bright LED flashlight that's powered by 3 AAAA alkaline cells (included). The light weight, slim profile design fits neatly in your pocket and comfortably in your hand. A tail button switch provides quick on/off or momentary activation. The clip is virtually unbreakable because it is molded to the Xenon body as one unit. And because it is molded out of polycarbonate resin, it won't cause sparks and is safe to use in electrical environments. Length -15.7 cm. Battery burn time : 50hours--certified
 MIN . QUANTITY -----6 NOS



KRM-LFL-07



KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

Supply of Flame proof torch-

This powerful flashlight was designed with one thing in mind: SAFETY. It carries more approvals than any other flashlight on the market today, making it safe for any hazardous environment or condition. It is o ring sealed with a twist-on shroud and comes with a polarity battery guard tray that safeguards against dangerous "outgassing" of hydrogen from an accidentally reversed cell. It is powered by 3 C alkaline cells, submersible to 500 feet, and has an ABS resin body which resists chemicals, corrosion, and extreme temperatures. Unlike ordinary flashlights that produce a yellow beam, the Sabre Lite's incredibly bright Xenon lamp produces a powerful collimated white beam.



KRM -K- PEL-2

lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

KRM Resuscitator-- Made of Silicon material PACKED IN BAG ---- USEFUL IN EMERGENCY RESPIRATORY



RESUSCITATOR

INSTRUCTION FOR USE

1. CLEAR AIRWAY
2. TILT HEADBACK
3. FIT MASK PROPERLY
4. SQUEEZE BALL
5. WATCH THE CHEST WHEN BREATHING HAS AND FALL BACKWARD(OUT)
6. IF THE CHEST DOES NOT RISE AND FEEL THERE MAY BE BLOCKAGE IN THE NOSE & TONGUE, THE TONGUE HAS OBLANDED THE AIRWAY OR
7. THERE MUST BE SUFFICIENT SEALS/AGE AMOUNT FOR SURE HOLD THE MASK TIGHTER ON THE FACE AND PULL LITTLE LOWER
8. CLEAR ANY MOISTURE FROM THE TUBING EVERY 2-3 MINUTES
9. CONTINUE RESUSCITATION UNTIL THE VICTIM BREATHES NATURALLY.

KRM Corporation
 CORPORATION, 615, SEC-15A, FARIDABAD, HARYANA, INDIA



KRM-K-RST



lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

Di-electric Electrical Shoe Insulated hard
 Acrylic toe with Rubber Sole – 20 KV--
 certified-

Product Data Sheet



KRM-K-DES





lockout@krmcorporation.com, wadhwarajinder@gmail.com,
krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881

s.No.	Item code	Breif Description	Unit	Qty.
1	KRM-K-MWP	KRM LOTO Multi Purpose waist pouch	no	1
2	KRM-K-UCBLR-N1	KRM LOTO UNIVARSAL CIRCUIT BREAKER LOCKOUT	no	1
3	KRM-K-MCBL-Y-SS	KRM LOTO MINI CIRCUIT BRAKER WITH FOLDABLE SCREW	no	1
4	KRM-K-MPS+C	KRM LOTO Multi Purpose Cable Lockout in Scissor Lockout	no	1
5	KRM-K-VCH-R525	KRM LOTO -Vinyl/Molded coated Hasp/Deenergiegrip - Small-	no	1
6	KRM-K-NH 4	KRM LOTO Multi Device HASP also called Deelectric Hasp	no	1
7	KRM-K-JPL/PDL53-KR	Long Shackle Padlock with Keyring	no	1
8	KRM-K-JPL/PDR53	KRM LOTO PADLOCK - REGULAR SHACKLE	no	1
9	KRM-K-MPB5LR-Round	KRM LOTO Mushroom Push button / emergency switch Safety-	no	1
10	KRM-K-PIN IN CBL-B-1	KRM LOTO Pin in Circuit Breaker Lockout	no	1
11	KRM-K-PIN OUT CBL-BL-1	KRM LOTO Pin Out Circuit Breaker Lockout	no	1
12	KRM-K-PIN OUTW CBL-R-1	KRM LOTO Pin Wide Circuit Breaker Lockout	no	1
13	KRM-K-LT-ST.	SAF-T-K-LOCKOUT TAGS (set of 10)	Set	1
14	KRM-K-PG-Dott	Cotton Gloves with Plastic Dott	Set	1
15	KRM-K-MEPL-R	Multipurpose Electrical Panel lockout for ACB / push putton	no	1
16	KRM-K-FM-O1	Respirator mask	no	1
17	KRM-K-SG-O1	Safety Goggal	no	1
18	KRM-K-EP-O1	Ear Plug	pair	1
19	KRM-K-SDR	SCREW DRIVER	no	1
20	KRM-K-PEN	KRM Rewritable Pen / Marker with eraser	no	1



Model no. : KRM-K-ESK
Quantity : 1kit
Weight : 1 Kg



lockout@krmcorporation.com, wadhwarajinder@gmail.com,
 krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 38
 00 91 9810 291 381, 00 91 8800 544 88

KRM Corporation LOTO & Safety Products
 An ISO 9001:2008 Certified company CE Certified

Lockout & Tagout Barrier System Signs & Posters Tapes Road Safety Parking Security PPE Doorseals & Windowseals

Postal Address: 615, Sec-15a, Faridabad- Haryana-NCR- India, Zip Code: 121007 Contact mail: lockout@krmcorporation.com

For more product information, please contact at info@krmcorporation.com or call at 00 91 9810291381



lockout@krmcorporation.com, wadhwarajinder@gmail.com, krm.corp@yahoo.com, info@krmcorporation.com
www.krmcorporation.com, www.lockout.in
www.lockouttagouts.com, www.safetyloto.com

Contact No.: 0091 0129-4021 381
 00 91 9810 291 381, 00 91 8800 544 881